



**THE ANDERSONS TURF PRODUCTS FERTILIZER WITH 0.164%  
DIMENSION® TURF HERBICIDE 18-0-4**

**SAFETY DATA SHEET**

CURRENT AS OF: 12/12/24

**SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION**

PRODUCT CODE: 10003593, 10005191, 10010006, 10010051

PRODUCT NAME: THE ANDERSONS TURF PRODUCTS FERTILIZER WITH 0.164% DIMENSION®  
TURF HERBICIDE 18-0-4

PRODUCT USE: Fertilizer/Herbicide

MFR INFO: The Andersons, Inc.  
PO Box 119  
Maumee, OH 43537

FOR EMERGENCY: (800) 757-8951

FOR INFORMATION: (419) 893-5050

**SECTION 2: HAZARDS IDENTIFICATION**

HAZARD SYMBOLS / STATEMENTS:



**WARNING**

**MAY CAUSE SKIN AND EYE IRRITATION  
MAY CAUSE RESPIRATORY IRRITATION**

HAZARD CLASSIFICATIONS:

*EYE IRRITATION*

*SKIN IRRITATION*

*SPECIFIC TARGET ORGAN TOXICITY*

- *SINGLE EXPOSURE*

CATEGORY

2B

2

3

INTERPRETATION

Causes eye irritation

Causes skin irritation

Causes irritation to respiratory tract

PRECAUTIONARY STATEMENTS:

- *WEAR PROTECTIVE GLOVES AND FIRE RESISTANT CLOTHING*
- *REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE*
- *DO NOT BREATHE DUSTS*
- *USE ONLY OUTDOORS OR IN WELL-VENTILATED AREA*
- *CALL POISON CONTROL OR SEEK MEDICAL ATTENTION IF YOU FEEL UNWELL*
- *WASH THOROUGHLY AFTER HANDLING*
- *DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT*
- *IF SWALLOWED: RINSE MOUTH AND SEEK MEDICAL ATTENTION*
- *IF IN EYES OR ON SKIN: RINSE AREA WITH PLENTY OF WATER, REMOVE CONTACT LENSES*
- *IF EYE OR SKIN IRRITATION CONTINUES: SEEK MEDICAL ATTENTION*
- *IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING*

**THE ANDERSONS TURF PRODUCTS FERTILIZER WITH 0.164% DIMENSION® TURF HERBICIDE 18-0-4**

- *STORE CONTAINER TIGHTLY CLOSED*
- *DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATIONS*

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

<u>CHEMICAL IDENTITY</u>	<u>SYNONYM</u>	<u>CAS NUMBER</u>	<u>CONCENTRATION (%)</u>
Limestone	Calcite	1317-65-3	50-55
Ureas	Mixed ureas	5067-80-3	35-40
Potassium Chloride	White potash	7447-40-7	5-10

**SECTION 4: FIRST AID MEASURES**

IF INHALED:	Move to fresh air and keep comfortable, seek medical attention if unwell.
IF ON SKIN:	Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for 15-20 minutes, seek medical attention if irritation persists.
IF SWALLOWED:	Rinse mouth. DO NOT INDUCE VOMITTING unless directed by a medical professional. Seek medical attention if unwell.
SPECIAL TREATMENT:	None known
HEALTH HAZARDS:	See Section 11

**SECTION 5: FIREFIGHTING MEASURES**

EXTINGUISHING MEDIA:	Use media suitable for surrounding fire. No special media required.
SPECIFIC FIRE HAZARDS:	When heated to decomposition, this product will emit toxic oxides, chlorides and ammonia.
SPECIAL FIREFIGHTING PROCEDURES:	Wear full protective clothing and positive-pressure self-contained breathing apparatus (SCBA).

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

SPILL / RELEASE PROCEDURES:	Contain material and place in containers for use as intended, or discard according to Federal, State and Local regulations.
ENVIRONMENTAL PRECAUTIONS:	Prevent spilled material from entering storm drains or water bodies. If material enters a waterway, notify the appropriate authorities.
PROTECTIVE EQUIPMENT:	Wear PPE according to Section 8

**SECTION 7: HANDLING AND STORAGE**

Avoid creating or accumulating dusts during processing and application. Wash hands after handling material. Do not eat, drink or smoke while handling the material. Do not breathe dusts. Not intended for human consumption. Store in a cool, dry, well ventilated area away from incompatible materials.

**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

EXPOSURE LIMITS:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

<u>HAZARDOUS COMPONENT</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Limestone	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)

PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION:	NIOSH approved respirator, if required
EYE PROTECTION:	Safety glasses with sideshields, goggles, or faceshield
SKIN PROTECTION:	Appropriate for the task. Impervious and compatible with material
VENTILATION:	Use with adequate ventilation

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE AND ODOR:	Multi-colored granular mix, with slight ammonia / sulfur odor
pH:	Not Applicable
MELTING POINT:	Not applicable
BOILING POINT:	Not available
FLASH POINT:	Not flammable
EVAPORATION RATE:	Not available
FLAMMABLE LIMITS:	Not applicable
VAPOR PRESSURE:	Not available
VAPOR DENSITY:	Not available
SPECIFIC GRAVITY:	~1.001
SOLUBILITY (IN WATER):	Soluble
PARTITION COEFFICIENT:	Not available
AUTOIGNITION TEMP:	Not available
DECOMPOSITION TEMP:	Not available
ODOR THRESHOLD:	Not available
VISCOSITY:	Not available

**SECTION 10: STABILITY AND REACTIVITY**

STABILITY:	Product is stable.
CONDITIONS TO AVOID:	Heat, accumulation of dusts
INCOMPATIBILITY:	Strong acids, bases and oxidizers
HAZARDOUS DECOMPOSITION PRODUCTS:	Toxic oxides, chlorides and ammonia

**SECTION 11: TOXICOLOGICAL INFORMATION**

HEALTH EFFECTS:	May be irritating to the nose and respiratory tract, and may cause sore throat, coughing and shortness of breath. Skin irritation may result from repeated or prolonged exposure. May also be irritating to the eyes, causing redness and watering. Prolonged eye exposure may cause conjunctivitis and corneal damage.
-----------------	---

**THE ANDERSONS TURF PRODUCTS FERTILIZER WITH 0.164% DIMENSION® TURF HERBICIDE 18-0-4**

CARCINOGENICITY: None of the ingredients are known / listed carcinogens. However, the product may contain trace amounts of crystalline silica which is listed by IARC as a potential human carcinogen.

INGREDIENT TOXICITY RANGES:

ORAL: > 3,020 mg/kg (potassium chloride) – 14,300 mg/kg (urea)

DERMAL: > 5,000 mg/kg (dithiopyr)

INHALATION: > 5.8 mg/L (4 hr) (dithiopyr)

**SECTION 12: ECOLOGICAL INFORMATION**

Long term degradation products may arise. Products of degradation are not expected to be hazardous.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Use product for intended purpose where possible. Dispose of in accordance with all national, regional / state, and local regulations.

**SECTION 14: TRANSPORT INFORMATION**

This product is not regulated as a transportation hazard.

**SECTION 15: REGULATORY INFORMATION**

SARA SECTION 311 / 312 HAZARD CATEGORY: ACUTE HAZARD

**SECTION 16: OTHER INFORMATION**

NFPA RATINGS:	HEALTH	1
	FLAMMABILITY	0
	INSTABILITY	0

HMIS RATINGS:	HEALTH	1
	FLAMMABILITY	0
	INSTABILITY	0

ACTIVE INGREDIENT LEVEL (%): 0.164 as dithiopyr

**PREPARATION & VERSION INFORMATION**

Version 001 – SDS updated using new template 12/12/2024 Prepared By DBA EHS Consulting

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.